




## State-Level Data

The National Survey of Children's Health provides information on the health and well-being of children in the 50 States and the District of Columbia. This section presents the survey's findings for each State and D.C., including indicators relating to the child's health, health care, and activities; the child's family; and the child's and family's neighborhood. Because of the small size of many subpopulations within the states, these indicators are shown only for the State's population as a whole.

Key indicators of the health and well-being of the child, the child's family, and the child's and family's neighborhood are presented in comparison with the National statistics presented in the previous section.



# Alabama

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>85.2</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>71.5</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>68.9</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>24.2</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>35.0</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>7.0</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>95.9</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>9.2</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>83.4</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>79.5</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>24.7</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>53.7</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>54.4</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>79.7</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>14.3</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>77.1</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>56.8</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>41.5</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>56.7</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>77.0</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>56.6</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>63.2</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>30.5</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>63.3</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>53.5</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>36.0</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>17.4</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>83.0</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>88.5</b>

Indicators should not be compared with previous NSCH findings.




# Alaska

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>88.5</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>73.2</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>88.5</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>18.7</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>29.9</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>7.8</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>94.2</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>11.8</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>77.1</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>72.1</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>32.6</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>63.2</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>51.9</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>76.3</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>5.6</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>81.0</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>44.0</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>51.9</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>60.3</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>82.6</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>60.2</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>62.0</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>29.5</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>68.0</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>51.0</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>55.6</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>23.4</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>84.8</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>90.9</b>

Indicators should not be compared with previous NSCH findings.




# Arizona

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>80.1</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>65.7</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>84.4</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>27.6</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>36.7</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>8.7</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>88.3</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>19.5</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>81.4</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>75.2</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>21.7</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>59.7</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>46.2</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>79.6</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>8.3</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>80.1</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>54.6</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>43.7</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>57.8</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>80.7</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>49.9</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>54.6</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>20.0</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>66.4</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>57.5</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>56.9</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>17.8</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>74.0</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>82.8</b>

Indicators should not be compared with previous NSCH findings.



# Arkansas

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>81.8</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>69.8</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>74.1</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>24.7</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>33.9</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>5.9</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>95.4</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>10.8</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>79.2</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>74.9</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>26.3</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>66.8</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>55.2</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>74.8</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>14.6</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>76.3</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>46.9</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>47.0</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>57.8</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>78.2</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>52.7</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>59.1</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>30.9</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>63.0</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>56.5</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>43.0</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>20.6</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>78.6</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>87.9</b>

Indicators should not be compared with previous NSCH findings.




# California

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>77.6</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>64.2</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>88.5</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>28.0</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>30.4</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>6.2</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>93.7</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>12.9</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>80.6</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>75.3</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>28.5</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>62.7</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>44.7</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>82.5</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>7.4</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>80.7</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>48.7</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>39.1</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>48.6</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>79.8</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>54.4</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>59.3</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>15.8</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>67.1</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>44.4</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>66.8</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>13.6</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>80.7</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>81.7</b>

Indicators should not be compared with previous NSCH findings.



# Colorado

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>87.0</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>70.1</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>87.6</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>23.4</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>23.1</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>7.9</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>92.4</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>13.5</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>84.8</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>77.6</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>47.0</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>64.9</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>55.3</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>76.9</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>4.9</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>83.1</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>41.1</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>56.9</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>63.3</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>81.3</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>59.6</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>69.0</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>20.6</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>67.2</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>43.7</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>69.6</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>13.1</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>81.4</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>91.6</b>

Indicators should not be compared with previous NSCH findings.




# Connecticut

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>85.8</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>76.1</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>86.2</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>27.7</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>29.7</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>5.5</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>97.4</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>6.3</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>90.3</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>86.3</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>26.6</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>65.0</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>58.2</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>85.2</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>9.5</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>89.5</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>45.9</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>53.8</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>58.9</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>74.2</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>62.1</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>64.2</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>19.3</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>68.8</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>40.6</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>54.7</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>9.8</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>81.7</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>88.4</b>

Indicators should not be compared with previous NSCH findings.




# Delaware

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>84.1</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>72.4</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>72.4</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>27.6</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>32.0</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>6.1</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>96.4</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>10.3</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>88.6</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>77.2</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>30.8</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>66.5</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>55.9</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>78.1</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>12.6</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>83.1</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>50.8</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>51.8</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>64.5</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>78.8</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>57.3</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>59.0</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>23.5</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>63.2</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>50.4</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>50.3</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>13.2</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>83.4</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>87.3</b>

Indicators should not be compared with previous NSCH findings.



# District of Columbia


All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>81.4</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>72.6</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>80.1</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>29.4</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>35.0</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>5.4</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>98.7</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>5.8</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>89.8</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>82.3</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>21.4</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>58.9</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>50.3</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>73.6</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>15.6</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>82.9</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>32.3</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>55.5</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>61.0</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>74.0</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>54.6</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>60.6</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>22.2</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>50.3</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>50.6</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>75.7</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>23.3</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>71.2</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>72.6</b>

Indicators should not be compared with previous NSCH findings.


# Florida

All statistics are based on parent or caregiver reports.



Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>83.5</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>68.9</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>80.0</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>27.8</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>27.5</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>5.1</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>90.5</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>17.6</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>82.6</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>67.0</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>24.0</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>57.7</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>50.4</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>80.5</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>15.1</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>76.6</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>52.7</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>42.6</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>57.5</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>76.3</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>54.8</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>61.7</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>24.6</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>64.4</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>51.7</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>49.3</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>15.6</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>76.2</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>85.5</b>

Indicators should not be compared with previous NSCH findings.



# Georgia

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>85.3</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>74.1</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>74.4</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>28.4</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>35.0</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>3.6</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>92.8</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>14.8</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>81.1</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>75.9</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>40.8</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>53.0</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>51.7</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>81.6</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>9.6</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>77.6</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>47.1</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>44.0</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>56.3</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>78.3</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>56.4</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>62.0</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>24.9</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>66.0</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>48.9</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>41.0</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>14.7</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>81.9</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>87.4</b>

Indicators should not be compared with previous NSCH findings.

# Hawaii

All statistics are based on parent or caregiver reports.



Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>86.0</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>73.1</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>88.5</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>31.0</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>27.4</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>6.4</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>98.8</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>4.8</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>84.5</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>83.1</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>38.9</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>57.6</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>57.4</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>77.7</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>5.7</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>85.0</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>49.0</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>53.6</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>60.1</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>80.6</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>60.6</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>62.7</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>25.7</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>67.0</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>46.4</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>66.1</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>20.7</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>86.8</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>87.0</b>

Indicators should not be compared with previous NSCH findings.



# Idaho

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>87.8</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>71.6</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>85.6</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>22.3</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>27.8</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>5.3</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>94.3</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>11.5</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>73.0</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>79.2</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>25.0</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>56.3</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>57.0</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>81.1</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>6.1</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>82.7</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>48.1</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>54.8</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>55.8</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>83.4</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>62.6</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>65.9</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>20.5</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>68.7</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>51.1</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>55.8</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>17.8</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>88.1</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>94.7</b>

Indicators should not be compared with previous NSCH findings.



# Illinois

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>84.0</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>72.8</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>77.3</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>32.1</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>33.6</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>6.0</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>98.4</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>4.1</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>89.1</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>80.8</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>34.4</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>55.1</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>55.9</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>81.4</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>5.7</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>82.0</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>58.9</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>50.2</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>53.6</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>76.2</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>57.5</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>62.3</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>23.6</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>63.9</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>42.7</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>65.0</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>15.4</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>83.3</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>85.1</b>

Indicators should not be compared with previous NSCH findings.



# Indiana


All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>84.0</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>71.7</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>71.4</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>27.7</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>31.5</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>6.9</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>94.7</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>11.5</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>84.6</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>78.1</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>23.9</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>58.2</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>57.9</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>75.1</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>9.4</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>81.6</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>55.3</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>52.9</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>58.1</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>75.6</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>55.8</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>60.1</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>30.5</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>61.0</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>52.3</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>47.0</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>18.9</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>83.8</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>88.5</b>

Indicators should not be compared with previous NSCH findings.


# Iowa

All statistics are based on parent or caregiver reports.



Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>88.4</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>72.2</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>74.5</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>24.3</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>28.3</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>6.9</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>97.3</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>6.4</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>84.5</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>82.1</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>34.3</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>66.3</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>66.8</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>80.1</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>3.1</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>86.0</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>47.5</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>48.0</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>53.7</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>79.2</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>60.7</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>66.6</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>28.9</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>65.7</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>46.3</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>57.9</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>14.6</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>88.2</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>94.0</b>

Indicators should not be compared with previous NSCH findings.



# Kansas

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>86.8</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>71.8</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>81.9</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>27.1</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>30.2</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>4.7</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>95.0</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>11.3</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>84.8</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>79.4</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>37.0</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>72.2</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>59.1</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>78.7</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>6.5</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>81.2</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>47.0</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>50.4</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>59.7</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>79.7</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>61.6</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>65.8</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>25.3</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>66.6</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>47.4</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>58.3</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>17.4</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>86.3</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>90.8</b>

Indicators should not be compared with previous NSCH findings.


# Kentucky

All statistics are based on parent or caregiver reports.



Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>85.5</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>75.2</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>65.8</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>29.5</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>35.7</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>8.4</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>95.8</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>9.5</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>86.9</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>75.5</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>26.3</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>65.7</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>56.4</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>77.5</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>14.2</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>76.4</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>52.2</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>47.7</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>62.9</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>78.7</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>53.9</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>60.3</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>39.5</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>62.5</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>55.3</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>40.6</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>21.5</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>81.6</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>89.6</b>

Indicators should not be compared with previous NSCH findings.



# Louisiana

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>85.5</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>70.5</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>58.3</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>30.3</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>39.8</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>5.0</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>97.9</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>5.2</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>79.7</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>79.6</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>37.3</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>40.4</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>55.7</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>75.0</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>23.0</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>79.3</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>53.3</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>43.2</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>61.1</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>78.1</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>54.3</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>61.4</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>34.3</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>58.9</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>51.2</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>35.2</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>23.0</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>82.9</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>85.2</b>

Indicators should not be compared with previous NSCH findings.




# Maine

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>88.8</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>79.5</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>78.3</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>21.0</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>29.5</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>6.7</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>96.2</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>7.1</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>87.8</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>80.5</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>27.3</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>77.8</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>63.4</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>78.0</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>8.1</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>87.4</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>41.0</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>69.2</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>68.6</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>83.1</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>61.9</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>62.7</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>28.5</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>68.1</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>52.8</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>49.2</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>22.8</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>85.0</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>92.9</b>

Indicators should not be compared with previous NSCH findings.



# Maryland

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>86.3</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>75.0</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>81.3</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>22.6</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>31.6</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>4.6</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>95.6</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>7.7</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>88.2</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>78.5</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>31.8</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>59.2</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>57.2</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>80.2</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>6.8</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>83.7</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>47.4</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>55.8</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>60.1</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>75.9</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>61.1</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>64.4</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>20.3</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>64.1</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>41.6</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>54.1</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>10.1</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>82.4</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>88.7</b>

Indicators should not be compared with previous NSCH findings.



# Massachusetts

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>88.7</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>78.7</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>80.5</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>25.9</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>30.5</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>5.6</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>99.0</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>5.5</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>91.4</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>83.3</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>55.1</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>64.9</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>62.7</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>82.0</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>7.0</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>87.2</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>41.7</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>63.9</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>64.6</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>76.1</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>61.6</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>69.3</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>18.8</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>66.3</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>42.9</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>64.1</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>14.9</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>81.9</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>87.4</b>

Indicators should not be compared with previous NSCH findings.




# Michigan

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>88.1</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>76.4</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>77.9</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>24.0</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>32.6</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>6.9</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>97.3</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>9.1</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>86.2</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>77.4</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>25.3</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>67.5</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>58.6</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>81.8</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>10.1</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>82.7</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>48.6</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>54.6</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>64.2</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>80.2</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>59.5</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>65.5</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>29.9</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>68.7</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>50.7</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>52.9</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>19.7</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>85.2</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>86.9</b>

Indicators should not be compared with previous NSCH findings.



# Minnesota

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>87.8</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>78.0</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>84.5</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>23.3</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>27.2</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>6.9</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>95.5</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>9.3</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>78.4</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>75.7</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>43.8</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>71.5</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>60.9</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>82.4</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>3.3</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>86.8</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>41.5</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>61.1</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>61.8</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>80.6</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>62.0</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>69.1</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>23.7</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>66.2</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>44.9</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>60.9</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>11.9</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>87.5</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>93.2</b>

Indicators should not be compared with previous NSCH findings.



# Mississippi


All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>84.4</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>71.2</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>55.7</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>33.2</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>39.7</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>5.2</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>92.7</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>15.3</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>77.0</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>74.2</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>17.5</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>52.9</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>49.0</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>76.2</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>17.9</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>75.2</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>59.3</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>41.8</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>55.6</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>76.0</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>49.5</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>57.8</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>33.9</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>55.4</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>55.6</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>29.4</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>21.5</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>82.0</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>87.7</b>

Indicators should not be compared with previous NSCH findings.


# Missouri

All statistics are based on parent or caregiver reports.



Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>89.8</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>74.4</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>74.1</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>22.8</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>28.4</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>6.3</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>95.7</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>9.7</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>84.2</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>72.5</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>28.2</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>63.5</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>62.4</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>80.7</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>4.5</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>82.3</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>52.7</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>49.3</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>56.8</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>80.4</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>62.0</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>65.1</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>32.5</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>61.7</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>49.8</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>50.2</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>16.1</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>85.5</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>90.7</b>

Indicators should not be compared with previous NSCH findings.



# Montana


All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>89.7</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>72.9</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>82.1</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>25.2</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>29.0</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>8.9</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>91.5</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>15.9</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>77.0</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>76.6</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>22.9</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>59.9</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>57.5</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>75.6</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>6.7</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>84.4</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>43.1</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>57.4</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>59.7</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>85.3</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>61.1</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>66.0</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>26.4</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>67.7</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>52.8</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>52.3</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>22.1</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>86.3</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>91.6</b>

Indicators should not be compared with previous NSCH findings.


# Nebraska

All statistics are based on parent or caregiver reports.



Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>87.4</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>73.0</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>79.3</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>20.6</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>28.9</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>6.2</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>95.0</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>10.6</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>83.6</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>79.9</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>32.3</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>70.7</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>61.1</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>81.6</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>5.7</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>84.2</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>46.3</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>47.9</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>52.8</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>78.4</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>59.9</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>66.8</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>25.3</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>64.6</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>45.3</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>56.6</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>15.1</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>86.2</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>91.3</b>

Indicators should not be compared with previous NSCH findings.




# Nevada

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>79.0</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>61.4</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>83.4</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>26.6</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>33.2</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>5.8</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>86.7</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>21.8</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>74.8</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>67.4</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>21.9</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>49.3</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>44.6</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>81.3</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>8.2</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>77.5</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>60.5</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>40.2</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>49.3</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>78.9</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>50.5</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>57.3</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>25.9</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>62.4</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>54.4</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>63.0</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>16.4</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>74.8</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>82.9</b>

Indicators should not be compared with previous NSCH findings.



# New Hampshire

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>91.0</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>81.7</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>82.7</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>21.3</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>26.0</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>7.3</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>96.6</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>7.9</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>91.2</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>84.9</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>30.6</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>66.3</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>66.5</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>81.1</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>6.3</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>87.8</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>37.7</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>66.0</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>66.2</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>78.3</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>61.8</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>65.8</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>24.8</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>67.4</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>46.0</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>51.6</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>12.7</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>88.0</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>93.8</b>

Indicators should not be compared with previous NSCH findings.




# New Jersey

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>83.7</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>73.4</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>80.1</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>26.8</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>24.7</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>7.4</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>96.5</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>7.6</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>91.2</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>79.9</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>25.0</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>57.6</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>52.9</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>81.9</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>5.8</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>83.1</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>49.2</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>45.8</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>52.3</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>73.8</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>59.3</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>63.7</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>20.3</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>66.3</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>41.7</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>59.6</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>12.5</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>82.9</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>86.0</b>

Indicators should not be compared with previous NSCH findings.



# New Mexico

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>81.4</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>62.6</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>80.8</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>22.7</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>32.8</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>6.2</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>93.3</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>13.0</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>80.1</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>81.1</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>38.3</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>58.0</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>48.0</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>80.1</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>12.6</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>78.7</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>45.7</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>49.4</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>57.8</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>83.8</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>53.0</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>57.3</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>23.9</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>64.4</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>55.1</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>51.5</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>23.4</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>79.2</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>83.8</b>

Indicators should not be compared with previous NSCH findings.




# New York

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>83.2</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>70.5</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>80.6</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>33.2</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>32.4</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>6.4</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>97.2</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>8.1</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>91.9</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>77.0</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>21.3</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>64.4</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>53.3</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>78.7</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>8.0</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>83.1</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>53.3</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>49.7</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>56.8</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>74.4</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>55.8</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>61.1</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>19.4</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>59.0</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>43.7</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>58.2</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>17.6</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>79.2</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>79.9</b>

Indicators should not be compared with previous NSCH findings.




# North Carolina

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>84.7</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>74.3</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>79.2</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>21.7</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>31.4</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>7.2</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>93.8</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>11.1</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>82.8</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>76.7</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>58.0</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>54.3</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>55.1</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>79.3</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>12.1</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>75.0</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>43.1</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>44.3</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>56.9</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>79.7</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>53.8</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>62.0</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>28.9</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>62.5</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>49.8</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>40.4</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>14.9</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>82.2</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>89.5</b>

Indicators should not be compared with previous NSCH findings.




# North Dakota

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>91.4</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>79.5</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>79.4</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>19.9</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>35.8</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>4.6</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>93.5</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>9.3</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>78.6</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>74.6</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>20.7</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>86.3</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>61.9</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>79.1</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>7.5</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>85.3</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>47.7</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>51.6</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>57.1</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>83.0</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>61.7</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>66.3</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>29.8</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>66.9</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>43.7</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>58.9</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>12.7</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>90.9</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>94.0</b>

Indicators should not be compared with previous NSCH findings.




# Ohio

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>86.8</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>73.8</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>70.9</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>18.0</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>30.8</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>8.6</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>96.8</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>7.0</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>87.7</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>77.8</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>27.8</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>66.3</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>57.1</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>76.3</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>10.8</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>83.1</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>48.1</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>52.5</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>59.5</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>79.2</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>59.0</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>62.2</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>32.7</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>64.4</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>50.9</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>51.8</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>20.9</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>82.2</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>88.3</b>

Indicators should not be compared with previous NSCH findings.




# Oklahoma

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>84.4</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>72.3</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>74.4</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>25.2</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>33.9</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>7.1</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>92.7</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>14.7</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>80.4</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>73.9</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>29.5</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>60.7</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>56.3</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>79.1</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>12.8</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>79.9</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>50.9</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>48.8</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>57.6</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>81.6</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>56.9</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>62.0</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>30.3</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>64.4</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>56.1</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>39.4</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>24.0</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>81.3</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>88.5</b>

Indicators should not be compared with previous NSCH findings.



# Oregon

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>83.3</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>69.6</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>92.0</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>20.9</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>26.4</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>8.4</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>95.7</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>11.3</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>79.2</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>77.0</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>34.4</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>65.8</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>57.3</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>79.0</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>4.5</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>82.6</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>44.3</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>55.3</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>59.2</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>81.8</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>56.6</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>59.3</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>20.9</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>65.6</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>51.3</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>62.0</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>18.4</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>82.0</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>89.0</b>

Indicators should not be compared with previous NSCH findings.



# Pennsylvania


All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>87.3</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>74.5</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>72.7</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>22.4</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>26.5</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>7.0</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>95.9</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>8.7</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>90.4</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>78.7</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>29.8</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>68.8</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>58.9</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>80.8</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>5.8</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>84.2</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>56.0</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>57.0</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>58.2</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>77.3</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>55.4</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>62.1</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>29.3</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>66.1</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>47.5</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>53.9</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>19.2</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>84.2</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>87.4</b>

Indicators should not be compared with previous NSCH findings.

# Rhode Island

All statistics are based on parent or caregiver reports.



Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>86.8</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>76.1</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>77.3</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>23.2</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>28.3</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>8.1</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>96.1</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>10.4</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>90.0</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>82.1</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>31.5</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>66.0</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>59.9</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>79.8</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>9.4</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>82.9</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>51.1</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>54.2</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>57.0</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>73.4</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>56.0</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>59.9</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>25.0</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>63.2</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>48.5</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>65.7</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>14.3</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>78.1</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>84.8</b>

Indicators should not be compared with previous NSCH findings.




# South Carolina

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>86.0</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>75.7</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>61.4</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>26.2</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>39.2</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>4.5</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>93.6</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>10.9</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>81.3</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>76.6</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>30.1</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>50.1</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>54.3</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>77.3</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>12.9</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>78.4</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>50.6</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>48.3</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>55.1</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>77.5</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>55.8</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>63.9</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>27.0</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>62.2</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>52.3</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>35.3</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>15.1</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>81.5</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>86.7</b>

Indicators should not be compared with previous NSCH findings.



# South Dakota

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>91.7</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>78.7</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>77.4</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>20.9</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>26.5</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>5.9</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>96.8</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>6.1</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>73.3</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>77.8</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>23.5</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>63.6</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>61.6</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>81.4</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>5.7</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>86.4</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>46.3</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>48.1</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>50.8</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>80.7</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>63.8</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>69.6</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>27.5</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>71.5</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>42.9</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>55.7</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>17.1</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>86.1</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>93.4</b>

Indicators should not be compared with previous NSCH findings.




# Tennessee

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>84.0</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>71.9</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>70.2</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>18.4</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>34.1</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>7.1</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>94.7</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>10.7</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>86.9</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>78.3</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>38.3</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>60.2</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>60.1</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>79.5</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>11.6</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>73.9</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>51.4</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>53.4</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>59.0</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>80.4</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>55.2</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>61.5</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>32.7</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>62.5</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>52.9</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>36.7</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>17.7</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>81.4</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>88.0</b>

Indicators should not be compared with previous NSCH findings.



# Texas


All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>82.0</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>66.3</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>79.9</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>30.2</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>36.6</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>4.2</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>90.6</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>17.9</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>83.4</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>77.8</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>30.4</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>59.5</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>51.8</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>83.0</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>11.6</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>76.7</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>45.3</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>38.3</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>55.4</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>78.2</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>55.6</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>58.5</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>21.9</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>63.9</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>48.1</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>50.9</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>16.0</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>81.3</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>85.0</b>

Indicators should not be compared with previous NSCH findings.

# Utah

All statistics are based on parent or caregiver reports.



Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>86.9</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>78.2</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>88.9</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>20.1</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>22.1</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>7.7</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>91.3</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>14.7</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>76.2</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>77.6</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>26.8</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>49.1</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>64.3</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>81.6</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>2.9</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>83.8</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>43.7</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>55.1</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>56.0</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>83.2</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>67.6</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>72.0</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>12.4</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>69.2</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>42.1</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>69.3</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>14.5</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>92.4</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>94.4</b>

Indicators should not be compared with previous NSCH findings.




# Vermont

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
<b>Child Health Status</b>	percent of children in excellent or very good health	84.2	<b>90.2</b>
<b>Oral Health Status</b>	percent of children with excellent or very good oral health	71.3	<b>83.3</b>
<b>Breastfeeding</b>	percent of children aged 0-5 who were ever breastfed	79.2	<b>89.5</b>
<b>Risk of Developmental or Behavioral Problems</b>	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>20.6</b>
<b>Overweight and Obesity</b>	percent of children aged 10-17 who were overweight or obese	31.3	<b>24.5</b>
<b>Missed School Days</b>	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>7.6</b>
<b>HEALTH CARE</b>			
<b>Current Health Insurance</b>	percent of children insured at the time of the interview	94.5	<b>98.7</b>
<b>Insurance Coverage Continuity</b>	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>4.8</b>
<b>Preventive Medical Care</b>	percent of children with a preventive medical visit in the previous year	84.4	<b>91.2</b>
<b>Preventive Dental Care</b>	percent of children with a preventive dental visit in the previous year	77.2	<b>87.8</b>
<b>Developmental Screening</b>	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>32.1</b>
<b>Mental Health Care</b>	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>77.9</b>
<b>Medical Home</b>	percent of children who received care within a medical home	54.4	<b>68.6</b>
<b>SCHOOL AND ACTIVITIES</b>			
<b>School Engagement</b>	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>80.5</b>
<b>Repeating a Grade</b>	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>5.6</b>
<b>Activities Outside of School</b>	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>90.0</b>
<b>Screen Time</b>	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>33.2</b>
<b>CHILD'S FAMILY</b>			
<b>Reading to Young Children</b>	percent of children aged 0-5 whose families read to them every day	47.9	<b>71.6</b>
<b>Singing and Telling Stories to Young Children</b>	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>69.0</b>
<b>Family Meals</b>	percent of children whose families eat meals together 4 or more days per week	78.4	<b>83.9</b>
<b>Mother's Health</b>	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>65.9</b>
<b>Father's Health</b>	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>67.9</b>
<b>Smoking in the Household</b>	percent of children who live in households where someone smokes	24.1	<b>21.6</b>
<b>Resilience</b>	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>65.6</b>
<b>Adverse Childhood Experiences</b>	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>50.6</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
<b>Neighborhood Amenities</b>	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>47.0</b>
<b>Neighborhood Conditions</b>	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>22.9</b>
<b>Supportive Neighborhoods</b>	percent of children living in neighborhoods that are supportive	82.1	<b>89.7</b>
<b>Safety of Child in Neighborhood</b>	percent of children living in neighborhoods that are usually or always safe	86.6	<b>94.2</b>

Indicators should not be compared with previous NSCH findings.



# Virginia


All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>89.2</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>78.7</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>80.7</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>20.1</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>29.8</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>4.4</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>94.7</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>10.8</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>86.6</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>78.5</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>29.1</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>52.6</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>56.7</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>84.5</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>8.6</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>82.1</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>48.2</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>52.1</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>57.1</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>77.6</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>60.2</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>65.2</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>23.4</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>70.7</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>43.8</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>53.2</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>9.0</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>86.3</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>90.9</b>

Indicators should not be compared with previous NSCH findings.

# Washington

All statistics are based on parent or caregiver reports.



Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>84.4</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>70.0</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>91.0</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>22.5</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>26.2</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>6.0</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>96.4</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>6.8</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>82.9</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>85.5</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>29.9</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>53.9</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>58.6</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>76.8</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>4.8</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>80.5</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>39.5</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>57.7</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>66.8</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>81.0</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>55.5</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>61.3</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>18.8</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>64.2</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>48.7</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>61.2</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>17.3</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>84.4</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>88.9</b>

Indicators should not be compared with previous NSCH findings.



# West Virginia


All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>86.3</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>77.5</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>62.6</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>22.2</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>33.6</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>10.6</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>95.8</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>9.6</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>88.7</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>80.7</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>37.7</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>73.6</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>61.2</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>78.5</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>12.7</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>78.5</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>52.4</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>54.2</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>62.0</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>80.7</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>50.0</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>58.1</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>41.0</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>63.8</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>53.7</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>33.6</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>29.5</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>84.2</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>91.6</b>

Indicators should not be compared with previous NSCH findings.


# Wisconsin

All statistics are based on parent or caregiver reports.



Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>87.9</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>76.3</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>80.8</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>22.4</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>28.8</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>5.0</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>98.4</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>4.6</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>85.6</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>78.2</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>33.7</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>65.4</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>66.4</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>80.8</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>3.5</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>85.6</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>44.9</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>53.8</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>58.5</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>79.1</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>59.2</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>66.0</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>25.6</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>64.4</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>47.1</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>57.2</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>13.0</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>85.5</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>89.5</b>

Indicators should not be compared with previous NSCH findings.



# Wyoming

All statistics are based on parent or caregiver reports.

Indicator	Explanation	National %	State %
<b>HEALTH STATUS</b>			
Child Health Status	percent of children in excellent or very good health	84.2	<b>87.0</b>
Oral Health Status	percent of children with excellent or very good oral health	71.3	<b>75.6</b>
Breastfeeding	percent of children aged 0-5 who were ever breastfed	79.2	<b>81.8</b>
Risk of Developmental or Behavioral Problems	percent of children aged 4 months to 5 years determined to be at moderate or high risk based on parents' specific concerns	26.2	<b>21.1</b>
Overweight and Obesity	percent of children aged 10-17 who were overweight or obese	31.3	<b>26.7</b>
Missed School Days	percent of children aged 6-17 who missed 11 or more days of school in the previous year	6.2	<b>9.2</b>
<b>HEALTH CARE</b>			
Current Health Insurance	percent of children insured at the time of the interview	94.5	<b>94.1</b>
Insurance Coverage Continuity	percent of children lacking continuous insurance coverage in the previous year	11.3	<b>12.0</b>
Preventive Medical Care	percent of children with a preventive medical visit in the previous year	84.4	<b>80.6</b>
Preventive Dental Care	percent of children with a preventive dental visit in the previous year	77.2	<b>77.9</b>
Developmental Screening	percent of children aged 10 months to 5 years who received a standardized screening for developmental or behavioral problems	30.8	<b>28.8</b>
Mental Health Care	percent of children aged 2-17 with problems requiring counseling who received mental health care	61.0	<b>67.3</b>
Medical Home	percent of children who received care within a medical home	54.4	<b>59.4</b>
<b>SCHOOL AND ACTIVITIES</b>			
School Engagement	percent of children aged 6-17 who are usually or always engaged in school	80.4	<b>80.7</b>
Repeating a Grade	percent of children aged 6-17 who have repeated at least one grade	9.1	<b>8.5</b>
Activities Outside of School	percent of children aged 6-17 who participate in activities outside of school	80.8	<b>86.7</b>
Screen Time	percent of children aged 1-5 who watched more than one hour of TV or video during a weekday	49.2	<b>46.1</b>
<b>CHILD'S FAMILY</b>			
Reading to Young Children	percent of children aged 0-5 whose families read to them every day	47.9	<b>56.1</b>
Singing and Telling Stories to Young Children	percent of children aged 0-5 whose families sing or tell stories to them every day	56.8	<b>59.3</b>
Family Meals	percent of children whose families eat meals together 4 or more days per week	78.4	<b>83.2</b>
Mother's Health	of children who live with their mothers, the percent whose mothers are in excellent or very good physical and emotional health	56.7	<b>60.1</b>
Father's Health	of children who live with their fathers, the percent whose fathers are in excellent or very good physical and emotional health	62.0	<b>67.9</b>
Smoking in the Household	percent of children who live in households where someone smokes	24.1	<b>27.0</b>
Resilience	percent of children aged 6-17 years who usually or always stay calm and in control when faced with a challenge	64.7	<b>69.5</b>
Adverse Childhood Experiences	percent of children with 1 or more adverse childhood experiences in their lifetime	47.9	<b>49.5</b>
<b>CHILD AND FAMILY'S NEIGHBORHOOD</b>			
Neighborhood Amenities	percent of children living in neighborhoods with a park, sidewalks, a library, and a community center	54.1	<b>61.9</b>
Neighborhood Conditions	percent of children living in neighborhoods with poorly kept or rundown housing	16.2	<b>20.4</b>
Supportive Neighborhoods	percent of children living in neighborhoods that are supportive	82.1	<b>85.7</b>
Safety of Child in Neighborhood	percent of children living in neighborhoods that are usually or always safe	86.6	<b>94.3</b>

Indicators should not be compared with previous NSCH findings.