

Percent of Women Aged 18 and Older Who Are Current Smokers, by State and Age, 2007

Source II.27: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Behavioral Risk Factor Surveillance System

STATE	Total	18-34 Years	35-44 Years	45-64 Years	65 Years and Older
Alabama	19.7	23.1	23.5	21.2	9.0
Alaska	19.7	21.7	20.7	20.8	7.9
Arizona	16.3	19.0	15.4	17.8	10.7
Arkansas	20.2	20.9	24.6	24.0	9.9
California	10.6	10.7	11.5	11.6	7.6
Colorado	17.7	21.5	17.1	18.1	9.7
Connecticut	14.5	18.5	14.5	16.2	6.8
Delaware	20.3	23.9	21.2	22.5	10.5
District of Columbia	15.7	16.6	15.1	19.5	9.1
Florida	17.5	18.6	21.3	20.3	9.7
Georgia	17.5	20.2	18.4	19.0	8.5
Hawaii	14.3	19.0	14.7	14.5	7.8
Idaho	17.4	20.1	18.2	19.5	7.8
Illinois	18.4	21.9	20.1	19.7	8.6
Indiana	22.4	27.6	25.3	23.4	9.9
Iowa	18.3	24.6	21.9	17.9	8.0
Kansas	17.1	19.3	20.6	18.3	8.8
Kentucky	27.8	36.9	30.6	28.1	11.1
Louisiana	19.1	19.6	23.5	21.2	8.6
Maine	19.3	29.1	22.7	17.1	8.4
Maryland	16.0	19.7	16.4	16.7	8.2
Massachusetts	15.5	20.1	17.6	15.7	7.7
Michigan	19.0	25.2	22.4	18.1	7.8
Minnesota	14.7	17.6	15.4	15.7	7.5
Mississippi	20.5	22.3	23.9	22.9	10.1
Missouri	23.3	27.1	27.7	25.6	9.8

STATE	Total	18-34 Years	35-44 Years	45-64 Years	65 Years and Older
Montana	19.3	25.2	23.2	18.9	9.1
Nebraska	16.8	19.5	19.6	18.5	7.5
Nevada	19.6	19.2	18.1	23.0	15.4
New Hampshire	18.6	22.3	21.0	18.9	10.1
New Jersey	15.2	16.9	17.3	16.4	9.0
New Mexico	18.1	20.2	16.6	21.7	9.3
New York	16.5	18.6	16.6	18.8	9.4
North Carolina	20.7	23.3	25.4	21.7	10.1
North Dakota	19.8	26.5	20.3	21.1	8.6
Ohio	22.1	29.6	24.1	22.3	9.4
Oklahoma	23.8	26.5	26.3	28.7	9.7
Oregon	14.9	17.8	15.5	16.3	7.7
Pennsylvania	21.1	27.3	26.9	21.8	8.6
Rhode Island	16.3	18.7	19.3	16.7	9.7
South Carolina	18.8	21.9	21.4	20.1	9.0
South Dakota	19.5	24.9	22.5	20.5	8.4
Tennessee	22.9	27.3	25.8	26.1	8.3
Texas	16.9	19.0	17.2	18.8	9.2
Utah	8.0	9.1	9.9	6.9	4.3
Vermont	15.9	21.8	19.4	15.0	6.2
Virginia	16.9	21.0	15.8	18.5	8.0
Washington	15.7	20.3	16.9	15.1	7.4
West Virginia	25.5	31.6	34.3	25.4	11.8
Wisconsin	19.5	25.3	21.7	20.2	8.0
Wyoming	21.4	24.3	28.6	21.7	9.7

Leading Causes of Death Among Women,* by State, 2005

Source II.28: Centers for Disease Control and Prevention, National Center for Health Statistics, National Vital Statistics System

STATE	All Causes		Heart Disease		Malignant Neoplasm (Cancer)		Cerebrovascular Disease (Stroke)		Chronic Lower Respiratory Disease		Unintentional Injury	
	Number of Deaths	Rate per 100,000	Number of Deaths	Rate per 100,000	Number of Deaths	Rate per 100,000	Number of Deaths	Rate per 100,000	Number of Deaths	Rate per 100,000	Number of Deaths	Rate per 100,000
Alabama	23,932	820.7	6,679	222.0	4,599	163.0	1,819	60.5	1,149	39.3	798	31.3
Alaska	1,363	635.8	237	122.6	328	145.5	96	51.6	79	38.3	93	30.9
Arizona	21,818	631.5	5,064	142.2	4,559	136.4	1,397	39.1	1,502	43.3	1,136	36.0
Arkansas	13,926	754.7	3,771	194.7	2,853	164.3	1,123	57.6	740	40.7	454	29.1
California	117,342	609.4	32,204	162.4	26,828	145.9	9,299	47.2	7,053	37.3	3,656	19.8
Colorado	14,729	638.1	3,012	129.5	3,182	140.7	941	40.4	935	42.2	689	29.4
Connecticut	15,617	617.7	4,024	147.8	3,529	153.9	914	34.1	828	33.3	402	18.4
Delaware	3,763	712.4	1,044	190.7	861	167.9	218	40.1	223	42.3	94	19.7
District of Columbia	2,681	731.0	801	206.7	543	155.0	136	35.9	69	18.1	74	21.9
Florida	82,641	606.3	22,265	149.8	18,606	146.7	5,359	36.7	4,942	35.3	2,907	27.6
Georgia	33,646	743.5	8,374	184.8	6,739	151.0	2,328	51.6	1,762	40.0	1,295	28.0
Hawaii	4,147	499.8	1,016	118.4	980	124.0	367	42.0	124	14.8	137	17.8
Idaho	5,163	656.7	1,162	143.8	1,087	145.3	425	52.1	339	45.3	210	28.0
Illinois	54,076	684.8	14,419	174.4	12,009	164.0	3,839	46.3	2,768	36.0	1,436	20.1
Indiana	28,621	733.4	7,413	182.5	6,126	166.9	2,030	50.0	1,820	47.8	897	25.2
Iowa	14,516	628.9	3,801	152.6	3,058	153.0	1,169	46.0	838	39.0	478	24.6
Kansas	12,771	686.5	3,005	149.8	2,618	159.1	964	47.9	778	44.1	427	26.8
Kentucky	20,213	785.9	5,474	206.9	4,392	176.7	1,347	50.5	1,319	52.0	789	34.6
Louisiana	22,152	850.2	5,444	204.0	4,345	172.0	1,507	56.9	933	36.1	1,089	44.1
Maine	6,582	698.5	1,471	148.7	1,526	171.3	431	42.9	428	46.3	207	25.5
Maryland	22,339	694.0	5,934	180.8	5,081	162.2	1,499	45.4	1,121	35.0	422	13.8
Massachusetts	28,738	624.0	6,961	140.8	6,603	159.3	1,881	38.0	1,523	34.1	720	18.1
Michigan	44,629	716.7	12,837	197.7	9,784	165.4	3,082	47.4	2,392	39.1	1,265	22.3
Minnesota	19,420	585.1	3,802	107.9	4,360	146.8	1,475	41.9	1,018	32.7	757	24.1
Mississippi	14,550	822.9	4,475	243.8	2,773	164.1	898	49.2	686	39.2	679	42.7

STATE	All Causes		Heart Disease		Malignant Neoplasm (Cancer)		Cerebrovascular Disease (Stroke)		Chronic Lower Respiratory Disease		Unintentional Injury	
	Number of Deaths	Rate per 100,000	Number of Deaths	Rate per 100,000	Number of Deaths	Rate per 100,000	Number of Deaths	Rate per 100,000	Number of Deaths	Rate per 100,000	Number of Deaths	Rate per 100,000
Missouri	27,922	722.2	7,677	187.8	5,889	164.4	2,091	51.0	1,548	41.1	1,029	30.6
Montana	4,203	678.9	857	130.6	933	161.7	314	47.2	289	48.1	184	33.2
Nebraska	7,723	628.9	1,857	138.5	1,619	148.2	578	43.3	474	40.6	302	28.1
Nevada	8,595	749.3	2,158	189.9	1,972	165.8	506	45.1	644	56.4	345	29.7
New Hampshire	5,280	646.5	1,273	148.2	1,253	162.6	330	38.5	358	45.5	159	21.1
New Jersey	37,798	654.1	10,967	179.2	8,719	160.9	2,191	36.5	1,777	31.1	928	18.4
New Mexico	7,085	652.9	1,628	146.3	1,501	140.7	449	40.4	421	38.8	434	42.5
New York	80,468	622.9	28,593	208.6	18,110	150.6	4,051	30.1	3,784	29.8	1,644	14.0
North Carolina	38,098	736.0	8,849	167.0	7,916	157.2	2,954	55.5	2,079	40.6	1,507	31.6
North Dakota	2,883	583.1	747	135.3	634	150.5	221	39.8	126	28.0	104	25.0
Ohio	56,247	736.7	14,766	184.7	11,858	165.0	3,900	48.5	3,481	46.2	1,742	25.9
Oklahoma	18,310	810.3	5,122	215.7	3,467	162.4	1,384	58.5	1,185	53.8	728	37.4
Oregon	15,803	678.2	3,290	133.8	3,503	160.3	1,406	57.4	992	44.4	543	25.4
Pennsylvania	67,848	701.4	19,001	182.6	14,458	164.5	4,767	45.9	3,272	33.8	1,979	25.7
Rhode Island	5,404	661.3	1,663	186.6	1,127	156.9	321	36.6	296	37.2	133	17.4
South Carolina	19,077	741.5	4,468	170.3	3,938	155.5	1,450	55.2	983	38.4	737	31.7
South Dakota	3,512	619.6	855	137.9	745	150.4	308	49.5	193	36.1	143	29.3
Tennessee	28,784	789.0	7,523	200.2	6,082	171.8	2,247	59.6	1,634	45.4	1,156	35.5
Texas	77,260	683.4	19,695	172.8	16,011	145.8	5,622	49.3	4,065	37.2	2,952	25.8
Utah	6,675	634.7	1,449	137.5	1,172	115.9	473	45.3	257	25.6	257	22.4
Vermont	2,611	629.8	624	143.1	589	150.8	149	33.4	189	46.8	112	30.3
Virginia	29,624	690.6	7,086	162.4	6,665	158.7	2,288	52.3	1,560	37.0	939	22.9
Washington	23,242	642.7	5,234	139.3	5,414	157.5	1,762	47.0	1,464	41.9	902	26.1
West Virginia	10,553	808.4	2,797	202.7	2,188	175.7	736	53.2	687	52.6	323	29.9
Wisconsin	23,999	647.5	5,931	149.8	5,322	157.7	1,811	45.9	1,230	34.7	962	29.1
Wyoming	1,963	678.5	451	153.0	436	154.7	140	47.0	141	49.4	79	29.6

*All rates are age-adjusted.

Percent of Women Aged 18 and Older Who Are Overweight and Obese,* by State, 1996 and 2007

Source II.27: Centers for Disease Control and Prevention, National Center for Chronic Disease Prevention and Health Promotion, Behavioral Risk Factor Surveillance System

STATE	Overweight		Obese	
	1996	2007	1996	2007
Alabama	25.9	29.9	20.3	31.8
Alaska	25.2	28.2	19.2	29.6
Arizona	25.5	32.1	13.1	21.8
Arkansas	26.6	30.2	17.9	27.5
California	27.1	28.8	15.0	22.4
Colorado	24.2	27.2	10.7	18.9
Connecticut	25.8	28.5	12.0	20.0
Delaware	27.6	30.9	19.1	26.0
District of Columbia	28.4	28.6	19.6	25.3
Florida	27.0	30.2	16.8	23.1
Georgia	28.3	29.9	11.7	28.7
Hawaii	25.2	26.6	11.8	19.4
Idaho	26.5	29.4	16.2	26.4
Illinois	27.3	30.4	18.6	25.0
Indiana	26.6	27.8	19.6	27.7
Iowa	27.8	31.6	18.1	25.9
Kansas	25.0	29.9	14.5	26.6
Kentucky	27.8	30.1	19.1	28.5
Louisiana	27.4	29.3	21.4	29.4
Maine	27.9	31.1	17.6	23.7
Maryland	25.6	29.7	18.7	27.3
Massachusetts	26.8	29.0	12.0	20.1
Michigan	28.9	30.5	18.6	27.8
Minnesota	26.9	31.0	14.1	22.3
Mississippi	28.9	29.2	21.1	33.8
Missouri	27.5	28.8	20.7	27.9

STATE	Overweight		Obese	
	1996	2007	1996	2007
Montana	28.1	31.4	14.1	22.0
Nebraska	27.3	28.5	16.4	25.7
Nevada	22.9	31.4	13.6	23.4
New Hampshire	27.2	30.5	11.2	23.5
New Jersey	26.2	31.6	13.6	22.9
New Mexico	28.8	29.4	15.4	26.6
New York	28.2	29.5	15.2	24.6
North Carolina	27.6	29.4	17.8	29.4
North Dakota	30.3	31.3	17.2	23.4
Ohio	28.3	29.1	19.2	26.9
Oklahoma	26.0	30.4	16.8	28.6
Oregon	26.0	28.8	16.7	25.9
Pennsylvania	28.1	28.7	18.2	27.2
Rhode Island	27.5	29.1	14.1	21.5
South Carolina	27.9	29.6	19.2	29.8
South Dakota	30.9	30.5	14.1	26.5
Tennessee	24.2	31.5	18.2	28.8
Texas	26.9	31.3	18.2	28.6
Utah	24.6	28.6	13.2	20.5
Vermont	25.6	28.5	14.6	20.8
Virginia	23.8	29.6	16.8	24.6
Washington	25.7	29.8	15.8	25.6
West Virginia	30.8	31.3	19.9	29.8
Wisconsin	25.5	29.0	18.8	23.5
Wyoming	24.9	30.8	13.8	24.3

*Overweight is defined as a Body Mass Index (BMI) of 25.0 to 29.9, and obesity is defined as a BMI of 30.0 or more.